Atlantic Richfield Company

Paul G. Johnson

Operations Project Manager

Remediation Management 150 W Warrenville Road MC 200 1E Naperville, IL 60563 Phone: (630) 420-5992 Mobile: (630) 731-4463 Fax: (630) 420-3738 E-Mail: paul.johnson4@bp.com

May 8, 2019

. 4

Jessica LaClair Project Manager New York State Department of Environmental Conservation Division of Environmental Remediation 625 Broadway, 12th Floor Albany, New York 12233-7016

RE: Monthly Progress Report, April 2019 Former Anaconda Plant (a.k.a. Harbor at Hastings Site) Site No. 3-60-022 Hastings-On-Hudson, New York

Dear Ms. LaClair:

Enclosed is the April 2019 Monthly Progress Report for the Former Anaconda Plant (a.k.a. Harbor at Hastings Site), New York State Department of Environmental Conservation (NYSDEC) Site No. 3-60-022, Hastings-on-Hudson, New York. This progress report has been prepared in accordance with Section XI of the AMENDED ORDER ON CONSENT and ADMINISTRATIVE SETTLEMENT between Atlantic Richfield Company and NYSDEC, dated November 6, 2013. The time period covered is April 1, 2019 through April 30, 2019.

If you have any questions or comments on this submittal, please feel free to contact me at 630-731-4463.

Sincerely,

PAM.

Paul G. Johnson Operations Project Manager

Enclosure



- Page 2
- cc: Maureen Schuck, New York State Department of Health Francis Frobel, Hastings-On-Hudson Mark Chertok, Hastings-On-Hudson Karl Coplan, Pace/Riverkeeper Martha Gopal, Sovereign Consulting Inc. File

ecc: Jacquelyn Nealon, New York State Department of Health Kevin Farrar, New York State Department of Environmental Conservation Benjamin Conlon, Esq. New York State Department of Environmental Conservation, Office of General Counsel Jim Lucari, BP Michael Daneker, Arnold & Porter



FORMER ANACONDA WIRE AND CABLE PLANT SITE (a.k.a. HARBOR AT HASTINGS SITE) OU1 NYSDEC SITE 360022 MONTHLY PROGRESS REPORT 167

PREPARED BY: Atlantic Richfield Company Paul Johnson

REPORTING PERIOD: April 1, 2019 through April 30, 2019

1. PROGRESS MADE THIS REPORTING PERIOD:

- DNAPL gauging and recovery was performed on April 1st and April 2nd, 2019. HARW-5, HARW-7, and HARW-8 were gauged and pumped as required by the August 2011 Design Basis Memorandum.
- LNAPL gauging and recovery was performed on April 3rd, 2019 in accordance with the IRM Work Plan (Fluor Daniel GTI, December 1997), Fluor Daniel GTI correspondence to the NYSDEC dated May 18, 1998 and Atlantic Richfield correspondence with the NYSDEC on September 2, 2010.

2. UNANTICIPATED PROBLEM AREAS AND RECOMMENDED SOLUTIONS

• None this reporting period.

3. PROBLEMS RESOLVED

• None this reporting period.

4. DELIVERABLES SUBMITTED / RECEIVED

- April 2, 2019, Atlantic Richfield to NYSDEC: Hastings March 2019 Monthly Progress Report.
- April 30, 2019, Atlantic Richfield to NYSDEC: Revised Figure 1 for Emerging Contaminants Groundwater Sampling Results 2018.

5. UPCOMING EVENTS / ACTIVITIES PLANNED

• The next three DNAPL gauging and recovery events are tentatively scheduled to occur the weeks of May 6th, June 3rd, and July 8th, 2019.

•

Continue the Water Tower LNAPL IRM activities, as allowable, in accordance with the IRM Work Plan (Fluor Daniel GTI, December 1997), Fluor Daniel GTI correspondence to the NYSDEC dated May 18, 1998 and Atlantic Richfield correspondence with the NYSDEC on September 2, 2010. The upcoming LNAPL IRM events are tentatively scheduled to occur the week of July 8th, 2019, and the week of October 7th, 2019 in accordance with the schedule modification request, from monthly to quarterly, sent by Atlantic Richfield to NYSDEC on June 4, 2012, and the approval letter received from NYSDEC dated April 2, 2013

6. KEY STAFFING

- Sovereign Consulting Inc.
- Parsons Environment and Infrastructure Group, Inc. (OM&M)
- Parsons Environment and Infrastructure Group, Inc. (Security)

7. PERCENTAGE COMPLETE

- DNAPL gauging and recovery ongoing
- LNAPL IRM ongoing

8. <u>DATA</u>

• Final data not generated during this reporting period.

9. CITIZEN PARTICIPATION ACTIVITIES

• None this reporting period.

LIST OF ACRONYMS

4

Acronym	Description
NYSDEC	New York State Department of Environmental Conservation
LNAPL	Light Non-Aqueous Phase Liquid
DNAPL	Dense Non-Aqueous Phase Liquid
OU	Operable Unit
IRM	Interim Remedial Measure
O&M	Operations and Maintenance

LIST OF REFERENCES

<u>FLUOR Daniel GTI, 1997.</u> Draft Interim Remedial Measure Work Plan – Separate Phase Liquid Recovery. December. TABLE I APRIL DNAPL PUMPING SUMMARY (WEEK OF 4/1/2019) ATLANTIC RICHFIELD **1 RIVER STREET** HASTINGS-ON-HUDSON, NEW YORK

Well ID	Date Gauged/ Pumped	Installation Angle (deg)	Pre-Pumping Uncorrected Apparent Height (inches)	Pre-Pumping Corrected Apparent Height (inches)	Post-Pumping Uncorrected Apparent Height (inches)	Post-Pumping Corrected Apparent Height (inches)	Total Fluids Removed (gallons) ⁴	Total DNAPL Removed (gallons) ⁶	Post-Purging Distance of DNAPL Surface Below MS/Fill Interface (ft)
HARW-1	4/1/2019 1	0	0	0	NA**	NA**	NA**	NA**	NA**
HARW-2	4/1/2019 ² NA** ³		18.0	18.0	NA**	NA**	NA**	NA**	3.2
HARW-3	4/1/2019 ² NA** ³	165	3.0	2.9	NA**	NA**	NA**	NA**	4.1
HARW-4	4/1/2019 ² NA** ³	24.5	14.0	12.7	NA**	NA**	NA**	NA**	3.0
HARW-5	4/1/2019 ² 4/2/2019 ³	23.5	24.0	22.0	1.0	0.9	42.0	5.0	4.2
HARW-6	4/1/2019 2	14.0	6.0	5.8			NA**	NA**	4.1
HARW-7	NA** 3 4/1/2019 2		30.0	30.0	NA**	NA**	42.0	6.3	4.6
HARW-7	4/1/2019 3			and Shart Back	1.0	1.0	42.0	0.3	4.0
HARW-8	4/1/2019 ² 4/2/2019 ³	0	24.0	24.0	3.0	3.0	42.0	4.6	4.5
HAOW-12A	4/1/2019 2 NA** 3	0	12.0	12.0	NA**	NA**	NA**	NA**	4.2

Total Gallons of DNAPL Removed: 15.9 .

Notes:

¹DNAPL not present, pumping not completed in this well

²Pre-pumping gauge date

³Post-pumping gauge date.

⁴Total galions of fluid (DNAPL and groundwater) removed from well based on measurement in container.

⁵Represents the distance of the post-purging DNAPL material interface from the top of the MS/Fill interface.

⁶Unless otherwise noted, this column refers to the total volume of DNAPL removed based calculation of volume based on well diameter and height of DNAPL in the well.

*DNAPL is present but is under 6-inches and discontinuous.

**Volume in the well is less than threshold required to perform DNAPL pumping procedures.

Apparent Height: refers to the distance between the DNAPL surface and the bottom of the well sump which includes all fluids (groundwater and DNAPL) in the matrix.

NA: Not Applicable

TABL	En	
SUM	MARY OF DNAPL MEASUREME	NTS
NYS	DEC #3-60-022	

NYSDEC #3-60-022 1 RIVER STREET HASTINGS-ON-HUDSON, NEW YORK

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallows) *	Days Elapsed Between Measurement Readings	Measurement Tool Used	December 201
MW-12	Date Cumulative 10/9/2006 - 7/29/2010	Depth to Product (it)	Pre-pumping (IT)	Post-pumping (n)	5.0	Measurement Readings	Used	Recovery Procedure Use
	Contraining rotations - Frankorts	Last Transmission and some					-	anne a mar Alfahadar e alla
		TOTAL VOLUME R	GOVERED TO DATE FI	ROM MOV-12 (GALLONS)	10			
OW-124	Cumulative 3/2/2009 - 12/10/2016				49.7		DMT*	
	1/16/2017	42.0	1.6			37	DMT*	
	2/20/2017				due to adverse weather conditions		-	
	3/6/2017	42.3	1.3			49	DMT*	
	4/3/2017 5/1/2017	42.2	1.4	:	· · · ·	28	DMT*	1963
	6/5/2017	42.3	1.3			35	DMT*	
	7/10/2017	42.3	1.3			35	DMT*	
	8/7/2017	42.3	1.3	2 C		28	DMT*	
	9/11/2017	42.5	1.1			35	DMT*	1982
	10/9/2017	42.3	1.3			28	DMT*	
	11/6/2017	42.3	1.3			28	DMT*	
	12/4/2017 1/8/2018		DNAPL pumpi DNAPL pumpi	ig not required to be comp	pleted (10 event requirement met) I due to adverse weather conditions			
	2/5/2018	42.2	1.4	- poinging not compresed	Line to access weather conductions	91	DMT*	
	3/5/2018	42.3	1.3			28	DMT*	1
	4/2/2018	42.0	1.6			28	DMT*	
	5/7/2018	41.9	1,7		<u>a</u>	35	DMT*	
	6/5/2018	42.5	1.1			29	DMT*	
	7/9/2018	42.2	1.4			34	DMT*	
	8/6/2018	42.3	1.3		-	28	DMT*	
	9/10/2018 10/1/2018	42.3	1.3			35	DMT*	
	11/5/2018	41.9	0.8			21 35	DMT*	
	12/10/2018	42.9	1.4			35	DMT*	
	1/14/2019	42.9	0.7			35	DMT*	
	2/4/2019	42.3	1.3			21	DMT*	
	3/11/2019	42.4	1.2			35	DMT*	1
	4/1/2019	42.6	1.0			21	DMT*	
		IOTAL VOLUME REGIN	ERED TO DATE FROM	HAOW-12A (GALLONS)	49.7			
ARW-1	Cumulative 9/29/2010 - 12/10/2016	Planta mark grad to un	State of the second second	and the second se	0.0	Contraction of the second second		
	1/16/2017	No product detected	0.0	-		37	DMT*	
	2/20/2017		DNAPL gauging	or pumping not completed	due to adverse weather conditions			
	3/6/2017	No product detected	0,0		-	49	DMT*	
	4/3/2017	No product detected	0.0			28	DMT*	
	5/1/2017	No product detected	0.0			28	DMT*	
	6/5/2017 7/10/2017	No product detected No product detected	0.0			35	DMT*	
	8/7/2017	No product detected	0.0			35 28	DMT*	
	9/11/2017	No product detected	0.0			35	DMT ⁴	
	10/9/2017	No product detected	0.0			28	DMT 1	
	11/6/2017	No product detected	0.0			28	DMT*	
	12/4/2017		DNAPL pumple	not required to be comp	leted (10 event requirement met)			
	1/8/2018			or pumping not completed	due to adverse weather conditions			
	2/5/2018	No product detected	0.0			91	DMT*	
	3/5/2018	No product detected	0.0			28	DMT.	1
	4/2/2018 5/7/2018	No product detected No product detected	00			28	DMT	
	6/5/2018	No product detected	0.0			35	DMT*	
	7/9/2018	No product detected	0.0			34	DMT*	
	8/6/2018	No product detected	0.0			28	DMT*	
	9/10/2018	No product detected	0.0			35	DMT ⁴	
	10/1/2018	No product detected	0.0			21	DMT.1	
	11/5/2018	No product detected	0.0		-	35	DMT*	
	12/10/2018	No product detected	0.0	73+2	Q	35	DMT*	(in 1997)
	1/14/2019	No product detected	0.0			35	DMT*	
	2/4/2019	No product detected	0.0	342	· · · ·	21	DMT *	
		No product detected No product detected	0.0			35	DMT*	
	3/11/2019		0.0			21	DMT*	
	4/1/2019	No product detected						
			OVERED TO DATE FRO	M HARW-1 (GALLONS)	0.0			
	4/1/2019			W HARWA (GALLONS)			1	
VARW-3	4/1/2019 Cumulative 9/29/2010 - 12/10/2016	TOTAL VOLUME REC			711.4			
URW-2	4/1/2019 Cumulative 9/29/2010 - 12/10/2016 1/18/2017		40	0.7	711.4	37	DMT*	double diaphragm pump
URW-3	4/1/2019 Cumulative 9/29/2010 - 12/10/2016	TOTAL VOLUME REC	40	0.7 or pumping not completed	711.4 8.7 due to adverse weather conditions		-	
HARW-2	4/1/2019 Cumulative 9/29/2010 - 12/10/2016 1/18/2017 2/20/2017	TOTAL VOLUME REC	4.0 DNAPL gauging	0.7	711.4	37	DMT ⁴ DMT ⁴ DMT ⁴	double diaphragm pump double diaphragm pump double diaphragm pump

SOVEREIGN CONSULTING INC.

Page 1 of 5

SOVEREIGN	CONSULTING	INC.

 Product Apparent
 Approximate Volume of

 Pre-pumping (T)
 Post-pumping (T)
 Product Recovered (gallows)

 4.0
 0.77
 10.9
 10.9

 4.7
 0
 1.2
 1.0
 1.0
 1.0

 4.7
 0
 1.2
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 1.0
 <td Product Apparent Height -Pre-pumping (ft) Measurement Tool Used DMT* DMT* DMT* DMT* DMT* DMT* Days Elapsed Between Measurement Readings Approximate Volume of Product Recovered (gallons) * Depth to Product (ft Recovery Procedure Used Date 6/5/2017 7/10/2017 8/8/2017 9/11/2017 10/9/2017 11/6/2017 12/4/2017 1/8/2018 36.0 38.2 35.3 39.5 36.9 39.0 35 35 29 HARW-2 double diaphragm pump double diaphragm pump 34 28 28 double diaphragm pump double diaphragm pump 34.3 38.8 36.9 38.2 36.6 38.5 37.5 38.4 37.5 40.0 38.0 38.8 38.0 38.8 38.0 38.8 38.5 double diaphragm pump 4/3/2018 5/7/2018 6/5/2018 7/9/2018 6/6/2018 9/10/2018 10/1/2018 11/1/2018 11/1/2019 2/4/2019 3/11/2019 4/1/2019 double diaphragm pump double diaphragm pump 1.6 2.5 0.0 1.3 2.0 1.2 1.5 80.0 6.3 double diaphragm pump 5 0.08 double diaphragm pump 0.08 5 double diaphragm pump
 TOTAL VOLUME RECON

 Comdetive 19/14/2010 - 12/10/2016
 I

 11/16/2017
 3/4

 2/20/2017
 3/4

 2/20/2017
 3/9

 4/20/2017
 3/9

 4/20/2017
 3/9

 4/20/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2017
 3/9

 5/2018
 3/7

 11/6/2017
 3/2

 10/9/2017
 3/6

 11/6/2017
 3/7

 12/2018
 3/7

 3/5/2018
 3/7

 4/2/2018
 3/7

 6/2/2018
 3/8

 6/2/2018
 3/8

 6/2/2018
 3/8

 11/5/2019
 3/8

 11/2/2019
 3/8

 11/2/2019
 3/8

 11/2/2019
 3/8

 11/2/2019
 3/8

 11/2/2019
 3/8</ TOTAL VOLUME RECOVERED TO DATE FROM HARW-2 (GALLONS) 817.3 25.3 HARW-J . 37 . DMT* 1.6 DNAFL gauging or pumping not completed due to adverse weather condition DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ 49 1.1 1.4 1.3 1.4 1.8 1.4 28 28 1.3 DNAPL pumping not required to be completed (10 event requirement met DNAPL gauging or pumping not completed due to adverse weather conditio 91 0.3 double diaphragm pump 0.4 0.4 0.2 0.3 0.3 0.3 0.4 liste total TOTAL VOLUME RECOVERED TO DATE FROM HARW-3 (GALLONS) 28.6 Cumulative 10/14/2010 - 12/10/2016 1/16/2017 2/20/2017 3/6/2017 4/4/2017 6/5/2017 7/10/2017 7/10/2017 1.7 1.7 DNAPL gauging or pumping not considere 1.5 2.5 0.8 -0.8 -0.8 -1.1 -1.1 -202.3 HARW-4 -39.3 37 OMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ DMT⁴ due to adverse weather conditio 39.5 38.5 40.3 40.3 39.9 39.9 39.6 39.8 39.8 39.4 49 6.1 double diaphragm pump 1.1 1.4 1.2 1.6 8/7/201 9/11/201 10/9/2017 11/6/2017 12/4/2017 1/8/2018 28
 1.6
 —
 —
 —

 DNAPL pumping not required to be completed (10 event requirement met).
 DNAPL gauging or pumping not completed due to advinse weather condition

 1.7
 —
 —
 —

 1.1
 —
 —
 —
DMT* 39.3 39.9 91

TABLE II SUMMARY OF DNAPL MEASUREMENTS NYSDEC #3-60-C22 I RIVER STREET HASTINGS-ON-HUDSON, NEW YORK

SOVEREIGN	CONSULTING INC.

Date 4/2/2018 5/8/2018 6/5/2018 6/5/2018 8/8/2018 9/10/2018 10/1/2018 11/5/2018 11/5/2018 11/5/2018 11/1/2019 3/11/2019 4/1/2019 0.6 0.6 0.8 1.2 21 35 21 TOTAL VOLUME RECOVERED TO DATE FROM HARW-4 (GALLONS) 213.8 **Welley** alwe 7/18/2011 - 12/10/2016 1/17/2017 2/20/2017 3/6/2017 4/4/2017 5/2/2017 6/5/2017 6/5/2017 6/7/2017 6/7/2017 9/11/2017 10/9/2017 HARW-5 800.2 35.2 5.1 DNAPL gauging or pumping no . 37 DMT* double diaphragm pump 8.7 12.9 15.7 12.8 13.7 12.8 13.7 12.8 14.1 12.2 11.3 37.2 35.3 34.3 35.3 35.0 35.3 34.6 35.6 35.6 36.0 48 29 28 DMT* DMT* DMT* DMT* DMT* DMT* DMT* DMT* 5.3 5.0 5.7 4.7 4.3 DNAPL pumping DNAPL gauging or 35 28 28 10/9/201 11/6/201 12/4/201 1/8/2018 11.3 (10 event requirem a diverse weather 3.9 12.8 9.8 11.3 9.8 11.5 9.7 11.7 5.0 10.2 10.2 9.4 required to be o sping not compl double disphragm pump-double disphragm pump-1/8/2018 2/6/2018 3/6/2018 5/8/2018 6/5/2018 6/5/2018 8/7/2018 34.8 35.3 36.3 35.1 36.4 35.8 36.6 35.7 38.3 36.3 36.3 36.6 38.1 36.6 38.1 36.6 38.3 92 28 28 35 28 34 29 34 5.5 5.0 4.0 5.2 3.9 4.5 3.8 4.6 2.0 4.0 4.0 3.7 2.2 2.7 0.1 8/7/2011 9/10/2011 10/2/2011 11/5/2011 12/11/2011 1/14/2015 2/4/2019 3/11/2019 4/2/2019 22 34 36 34 21 35 22 9.4 5.4 9.4 5.0 37 TOTAL VOLUME RECOVERED TO DATE FROM HARW-S (GALLONS) 1065.6 HARW-6 w 7162011 - 221 1162017 - 220 2260077 2260077 2260077 2360217 402018 402018 40 0.0 DMT* 37 40.0 0.8 DNAPL gauging or pumping not completed due to adverse weather condition DMT* DMT* DMT* DMT* DMT* DMT* DMT* DMT* 40.0 40.1 40.3 40.2 40.3 40.0 39.9 39.8 49 28 28 0.8 28 28 1.0 DNAPL pumping not required to be completed (10 event requirement met) DNAPL gauging or pumping not completed due to adverse weather condition one 91 28 28 35 29 34 28 35 0.1 08 07 09 08 08 08 01 07 21 35 21 0.4 TOTAL VOLUME RECOVERED TO DATE FROM HARW-S (GALLONS) 0.0

Product Apparent Height -Pre-pumping (ft)

Depth to Preduct (ft)

Product Apparent Height -Post-pumping (R)

0.1

Approximate Volume of oduct Recovered (gallons) *

5.4

Days Elapsed Between Measurement Readings

28

Recovery Procedure Used

double diaphragm pump

TABLE II SUMMARY OF DNAPL MEASUREMENTS NYSDEC #3-60-022 1 RIVER STREET HASTINGS-ON-HUDSON, NEW YORK

HARW-4 Continued

s. –

+

Page 3 of 5

TABLE II SUMMARY OF DNAPL MEASUREMENTS NYSOEC #3-60-022 I RIVER STREET HASTINGS-ON-HUDSON, NEW YORK

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) *	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
ARW-7	Cumulative 7/18/2011 - 12/10/2016		and the second second	ette terret dage (Annotation	482.1		Same Burgerstein State	
	1/17/2017	37.3	4.8	0.1	12 2	37	DMT*	double diaphragm pump
	2/20/2017			or pumping not completed	due to adverse weather conditions		-	
	3/6/2017	41.0	1.0			48	DMT*	
	4/3/2017	40.5	1.5			28	DMT*	
	5/1/2017	38.0	4.0	0.2	10.0	28	DMT	double diaphragm pump
	6/5/2017	40.5	1.5			35	DMT 1	
	7/10/2017	40.0	2.0	0.2	4.8	35	DMT	double diaphragm pump
	8/7/2017	41.5	0.5			28	DMT *	
	9/11/2017	40.3	1.8			35	DMT*	
	10/9/2017	40.3	1.8		i.	28	DMT*	
	11/6/2017	37.7	4.3	0.0	11.3	28	DMT*	double diaphragm pump
	12/4/2017 1/8/2018		DNAPL pumpi	ng not required to be comp	pleted (10 event requirement met) due to adverse weather conditions		×	
	2/5/2018	39.3	2.7	bin pumping not completed		91	DMT*	
	3/6/2018	38.5	3.5	0.3	8.3	29	OMT*	double diaphragm pump
	4/2/2018	410	10		6.5	23	DMT*	cocole diapiliagin pomp
	5/8/2018	410	2.0	0.1	5.0	36	DWT*	double diaphragm pump
	6/5/2018	41.9	0.1			28	DMT*	doorde disparages portes
	7/9/2018	41.1	0.9			34	DMT*	-
	8/7/2018	39.4	2.6	0.1	6.5	29	DMT*	double diaphragm pump
	9/10/2018	41.0	1.0		0.0	34	DMT*	cooce claperager pomp
	10/2/2018	40.0	2.0	0.1	5.0	22	OMT*	double diaphragm pump
	11/5/2018	40.8	12	0.1	5.0	34	DMT*	booble diaperaden pump
	12/11/2018	40.0	20	0.1	50	36	OMT*	double diaphragm pump
	1/14/2019	41.1	0.9	01	50	34	DMT*	bouble diaperagen pump
	2/4/2019	40.8	1.2			21	DMT*	
	3/11/2019	40.3	1.7			35	DMT*	
	4/1/2019	39.5	2.5	0.1	6.3	21	DMT*	double diaphragm pump
	4/1/2019	39.5	2.5	0.1	0.3	21	Dat	doode dispreagin pomp
ARW-8	Cumulative 7/19/2011 - 12/10/2016				18.0			
	1/18/2017	40.8	22	.02	5.2	37	DMT*	Color Cardena - Conservation -
	2/20/2017			or pumping not completed	due to adverse weather conditions			<u></u>
	3/6/2017	41.7	1.3			47	DMT*	the second s
	4/3/2017	42.5	0.5			28	DMT*	
	5/1/2017	42.3	0.7			28	DMT*	
	6/5/2017	42.3	0.7		-	35	DMT*	4
	7/10/2017	42.3	0.7			35	DMT 1	
	8/7/2017	42.1	0.9		· · ·	28	DMT*	
	9/11/2017	41.7	1.3			35	DMT 1	
	10/9/2017	42.2	8.0			28	DMT*	
	11/6/2017	41.8	1.2		pleted (10 event requirement met)	28	DMT*	
	12/4/2017 1/8/2018		DNAPL pumpa	ig not required to be comp	due to adverse weather conditions			
	2/5/2018	41.7	1.3	or pumping not completed	due to adverse weather conclusions	91	DMT*	
	3/5/2018	41.7	1.7			28	DMT*	
	4/2/2018	41.3	1.9			28	DMT*	
	5/8/2018	41.0	2.0	0.6	3.7	36	OMT*	double diaphragm pump
	6/5/2018	42.5	0.5	0.0		28	DMT*	coopie dispreadin ponto
	7/9/2018	42.5	0.5			34	DMT*	
	8/6/2018	42.3	0.7		-	28	DMT*	2
	9/10/2018	42.3	0.9			35	DMT*	
	10/1/2018	42.0	1.0			21	DMT*	
	11/5/2018	42.0	0.9			35	DMT ⁴	
		417	13			35	DMT*	
			13			35	DMT*	
	12/10/2018		1.6					
	12/10/2018 1/14/2019	41.5	1.5		-			
	12/10/2018 1/14/2019 2/4/2019	41.5 41.5	1,5			21	DMT*	
	12/10/2018 1/14/2019	41.5			46			double diaphragm pump

1

TOTAL VOLUME RECOVERED TO DATE FROM ALL WELLS (GALLONS)

2763.0

SOVEREIGN CONSULTING INC.

Page 4 of 5

. .

TABLE II SUMMARY OF DNAPL MEASUREMENTS NYSDEC #3-60-022 1 RIVER STREET HASTINGS-ON-HUDSON, NEW YORK

-

1 1 3

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) *	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
Notes: MW-12			HAOW-12A					
Depth to Top of Scree Depth to Bottom: 36 ft			Depth to Top of Screen: 2 Depth to Bottom: 43.6 ft	8.6 ft				
HARW-1 Depth to Top of Scree Depth to Bottom: 421			HARW-2 Depth to Top of Screen: 3 Depth to Bottom: 40 ft	76 ft	HARW-3 Angle from Vertical: 16.5 th Vertical Depth to Top of Screen: 25 Vertical Depth to Bottom: 39 ft	i a ft	HARW-4 Angle from Vertical: 24 9 Vertical Depth to Top of Se Vertical Depth to Baltom:	
HARW-5 Angle from Vertical: 2 Vertical Depth to Top Vertical Depth to Bott	of Screen: 27 ft		HARW-6 Angle from Vertical: 14 ⁹ Vertical Depth to Top of S Vertical Depth to Bottom:		HARW.7 Depth to Top of Screen: 27.5 ft Depth to Bottom: 42 ft		HARW-8 Depth to Top of Screen: 2 Depth to Bottom: 43 ft	3.5 ft

s. –

Not insolverements to past Univer, the automatine element point is automative 2017, passes there is the valuary 2010 momentry topics submative to it value 2 on a resource 2018. Parameter Parameter Parameter Values of product recovered by backwest pump is estimated by approximating the values of the value of the value of an advectional mode in the DNAPL. Parameter Values of product recovered by backwest pump is estimated by appreciations of the value of the value

Page 5 of 5