

Atlantic Richfield Company

Paul G. Johnson
Operations Project Manager

Remediation Management
150 W Warrenville Road
MC 200 1E
Naperville, IL 60563
Phone: (630) 420-5992
Mobile: (630) 731-4463
Fax: (630) 420-3738
E-Mail: paul.johnson4@bp.com

March 5, 2018

Jessica LaClair
Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233-7016

RE: Monthly Progress Report, February 2018
Former Anaconda Plant (a.k.a. Harbor at Hastings Site) Site No. 3-60-022
Hastings-On-Hudson, New York

Dear Ms. LaClair:

Enclosed is the February 2018 Monthly Progress Report for the Former Anaconda Plant (a.k.a. Harbor at Hastings Site), New York State Department of Environmental Conservation (NYSDEC) Site No. 3-60-022, Hastings-on-Hudson, New York. This progress report has been prepared in accordance with Section XI of the AMENDED ORDER ON CONSENT and ADMINISTRATIVE SETTLEMENT between Atlantic Richfield Company and NYSDEC, dated November 6, 2013. The time period covered is February 1, 2018 through February 28, 2018.

Please note that Table II of this report has been modified as approved by NYSDEC in electronic mail correspondence dated February 23, 2018.

If you have any questions or comments on this submittal, please feel free to contact me at 630-420-5992.

Sincerely,



Paul G. Johnson
Operations Project Manager

Enclosure

cc: Maureen Schuck, New York State Department of Health
Francis Frobel, Hastings-On-Hudson
Mark Chertok, Hastings-On-Hudson
Karl Coplan, Pace/Riverkeeper
Martha Gopal, Sovereign Consulting Inc.
File

ecc: Jacquelyn Nealon, New York State Department of Health
Kevin Farrar, New York State Department of Environmental Conservation
Benjamin Conlon, Esq. New York State Department of Environmental Conservation,
Office of General Counsel
Jim Lucari, BP
Michael Daneker, Arnold & Porter

**FORMER ANACONDA WIRE AND CABLE PLANT SITE
(a.k.a. HARBOR AT HASTINGS SITE) OU1
NYSDEC SITE 360022
MONTHLY PROGRESS REPORT 153**

PREPARED BY: Atlantic Richfield Company
Paul Johnson

REPORTING PERIOD: February 1, 2018 through February 28, 2018

1. PROGRESS MADE THIS REPORTING PERIOD:

- DNAPL gauging and recovery operations were mobilized the week of February 5th, 2018 and were suspended due to adverse weather conditions. HARW-2 was gauged and pumped as required by the August 2011 Design Basis Memorandum; partial recovery was completed at HARW-5, and no recovery was conducted at HARW-7.
- LNAPL gauging and recovery was completed on February 6th, 2018 in accordance with the IRM Work Plan (Fluor Daniel GTI, December 1997), Fluor Daniel GTI correspondence to the NYSDEC dated May 18, 1998 and Atlantic Richfield correspondence with the NYSDEC on September 2, 2010.

2. UNANTICIPATED PROBLEM AREAS AND RECOMMENDED SOLUTIONS

- Due to adverse weather conditions, the planned DNAPL recovery event was suspended. Details are provided above and in Tables I and II.

3. PROBLEMS RESOLVED

- None this reporting period.

4. DELIVERABLES SUBMITTED / RECEIVED

- February 5, 2018, Atlantic Richfield to NYSDEC, *Hastings January 2018 Monthly Progress Report*.
- February 5, 2018, Atlantic Richfield to NYSDEC, *2017 LNAPL Interim Remedial Measures (IRM) Annual Status Report*.
- February 23, 2018, Atlantic Richfield to NYSDEC, *2017 Hazardous Waste Annual Report*.

5. UPCOMING EVENTS / ACTIVITIES PLANNED

- The next three DNAPL gauging and recovery events are tentatively scheduled to occur the weeks of March 5th, April 2nd, and May 7th 2018.
- Continue the Water Tower LNAPL IRM activities, as allowable, in accordance with the IRM Work Plan (Fluor Daniel GTI, December 1997), Fluor Daniel GTI correspondence to the NYSDEC dated May 18, 1998 and Atlantic Richfield correspondence with the NYSDEC on September 2, 2010. The upcoming LNAPL IRM events are tentatively scheduled to occur the week of May 7th, 2018 and the week of August 6th, 2018, in accordance with the schedule modification request, from monthly to quarterly, sent by Atlantic Richfield to NYSDEC on June 4, 2012, and the approval letter received from NYSDEC dated April 2, 2013.

6. KEY STAFFING

- Sovereign Consulting Inc.
- Parsons Environment and Infrastructure Group, Inc. (OM&M)
- Parsons Environment and Infrastructure Group, Inc. (Security)

7. PERCENTAGE COMPLETE

- DNAPL gauging and recovery – ongoing
- LNAPL IRM – ongoing

8. DATA

- Final data not generated during this reporting period.

9. CITIZEN PARTICIPATION ACTIVITIES

- None this reporting period.

LIST OF ACRONYMS

<i>Acronym</i>	<i>Description</i>
NYSDEC	New York State Department of Environmental Conservation
LNAPL	Light Non-Aqueous Phase Liquid
DNAPL	Dense Non-Aqueous Phase Liquid
OU	Operable Unit
IRM	Interim Remedial Measure
O&M	Operations and Maintenance

LIST OF REFERENCES

FLUOR Daniel GTI, 1997. *Draft Interim Remedial Measure Work Plan – Separate Phase Liquid Recovery*. December.

TABLE I
FEBRUARY DNAPL PUMPING SUMMARY (WEEK OF 02/05/2018)
ATLANTIC RICHFIELD
1 RIVER STREET
HASTINGS-ON-HUDSON, NEW YORK

Well ID	Date Gauged/ Pumped	Installation Angle (deg)	Pre-Pumping Uncorrected Apparent Height (inches)	Pre-Pumping Corrected Apparent Height (inches)	Post-Pumping Uncorrected Apparent Height (inches)	Post-Pumping Corrected Apparent Height (inches)	Total Fluids Removed (gallons) ⁴	Total DNAPL Removed (gallons) ⁶	Post-Purging Distance of DNAPL Surface Below MS/Fill Interface (ft) ⁵
HARW-1	2/5/2018 ¹	0	0*	0*	NA**	NA**	NA**	NA**	NA**
HARW-2	2/5/2018 ²	0	68.0	68.0			210.0	14.6	4.6
	2/5/2018 ³				1.0	NA**			
HARW-3	2/5/2018 ²	16.5	18.0	17.3			NA**	NA**	2.9
	NA** ³				NA**	NA**			
HARW-4	2/5/2018 ²	24.5	20.0	18.2			NA**	NA**	2.6
	NA** ³				NA**	NA**			
HARW-5	2/5/2018 ²	23.5	66.0	60.5			126.0	3.9	0.6
	2/6/2018 ³				48.0	44.0			
HARW-6	2/5/2018 ²	14.0	10.0	9.7			NA**	NA**	3.8
	NA** ³				NA**	NA**			
HARW-7	2/5/2018 ²	0	32.0	32.0			NA**	NA**	2.0
	NA ³				NA**	NA**			
HARW-8	2/5/2018 ²	0	16.0	16.0			NA**	NA**	3.4
	NA** ³				NA**	NA**			
HAOW-12A	2/5/2018 ²	0	17.0	17.0			NA**	NA**	3.8
	NA** ³				NA**	NA**			

Total Gallons of DNAPL Removed: 18.5

Notes:

¹DNAPL not present, pumping not completed in this well

²Pre-pumping gauge date

³Post-pumping gauge date. Recovery was not completed in HARW-5 nor started in HARW-7 due to adverse weather conditions.

⁴Total gallons of fluid (DNAPL and groundwater) removed from well based on measurement in container.

⁵Represents the distance of the post-purging DNAPL material interface from the top of the MS/Fill interface.

⁶Unless otherwise noted, this column refers to the total volume of DNAPL removed based calculation of volume based on well diameter and height of DNAPL in the well.

*DNAPL is present but is under 6-inches and discontinuous.

**Volume in the well is less than threshold required to perform DNAPL pumping procedures.

Apparent Height: refers to the distance between the DNAPL surface and the bottom of the well sump which includes all fluids (groundwater and DNAPL) in the matrix.

NA: Not Applicable

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) ³	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
MW-12	Cumulative 10/9/2006 - 7/29/2010	-	-	-	5.0	-	-	-
	TOTAL VOLUME RECOVERED TO DATE FROM MW-12 (GALLONS)				5.0			
HAOW-12A	Cumulative 3/2/2009 - 12/10/2016	-	-	-	49.7	-	DMT ⁴	-
	1/16/2017	42.0	1.6	-	-	37	DMT ⁴	-
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	3/6/2017	42.3	1.3	-	-	49	DMT ⁴	-
	4/3/2017	42.2	1.4	-	-	28	DMT ⁴	-
	5/1/2017	42.1	1.5	-	-	28	DMT ⁴	-
	6/5/2017	42.3	1.3	-	-	35	DMT ⁴	-
	7/10/2017	42.3	1.3	-	-	35	DMT ⁴	-
	8/7/2017	42.3	1.3	-	-	28	DMT ⁴	-
	9/11/2017	42.5	1.1	-	-	35	DMT ⁴	-
	10/9/2017	42.3	1.3	-	-	28	DMT ⁴	-
	11/6/2017	42.3	1.3	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018	42.2	1.4	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HAOW-12A (GALLONS)				49.7			
HARW-1	Cumulative 9/29/2010 - 12/10/2016	-	-	-	0.0	-	-	-
	1/16/2017	No product detected	0.0	-	-	37	DMT ⁴	-
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	3/6/2017	No product detected	0.0	-	-	49	DMT ⁴	-
	4/3/2017	No product detected	0.0	-	-	28	DMT ⁴	-
	5/1/2017	No product detected	0.0	-	-	28	DMT ⁴	-
	6/5/2017	No product detected	0.0	-	-	35	DMT ⁴	-
	7/10/2017	No product detected	0.0	-	-	35	DMT ⁴	-
	8/7/2017	No product detected	0.0	-	-	28	DMT ⁴	-
	9/11/2017	No product detected	0.0	-	-	35	DMT ⁴	-
	10/9/2017	No product detected	0.0	-	-	28	DMT ⁴	-
	11/6/2017	No product detected	0.0	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018	42.0	0.0	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-1 (GALLONS)				0.0			
HARW-2	Cumulative 9/29/2010 - 12/10/2016	-	-	-	711.4	-	-	-
	1/18/2017	36.0	4.0	0.7	8.7	37	DMT ⁴	double diaphragm pump
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	3/6/2017	36.3	3.7	0.2	9.1	47	DMT ⁴	double diaphragm pump
	4/3/2017	38.0	2.0	0.04	5.1	28	DMT ⁴	double diaphragm pump
	5/1/2017	38.4	1.6	-	-	28	DMT ⁴	-
	6/5/2017	36.0	4.0	0.17	10.0	35	DMT ⁴	double diaphragm pump
	7/10/2017	38.2	1.8	-	-	35	DMT ⁴	-
	8/8/2017	35.3	4.7	0	12.2	29	DMT ⁴	double diaphragm pump
	9/11/2017	39.5	0.5	-	-	34	DMT ⁴	-
	10/9/2017	36.9	3.1	0.2	7.6	28	DMT ⁴	double diaphragm pump
	11/6/2017	39.0	1.0	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018	34.3	5.7	0.08	14.6	91	DMT ⁴	double diaphragm pump
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-2 (GALLONS)				778.7			
HARW-3	Cumulative 10/14/2010 - 12/10/2016	-	-	-	25.3	-	-	-
	1/16/2017	37.4	1.6	-	-	37	DMT ⁴	-

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) *	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
HARW-3 Continued	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	3/6/2017	37.9	1.1	-	-	49	DMT ⁴	-
	4/3/2017	37.6	1.4	-	-	28	DMT ⁴	-
	5/1/2017	37.7	1.3	-	-	28	DMT ⁴	-
	6/5/2017	37.7	1.3	-	-	35	DMT ⁴	-
	7/10/2017	37.3	1.7	-	-	35	DMT ⁴	-
	8/7/2017	37.6	1.4	-	-	28	DMT ⁴	-
	9/11/2017	37.2	1.8	-	-	35	DMT ⁴	-
	10/9/2017	37.6	1.4	-	-	28	DMT ⁴	-
	11/6/2017	37.7	1.3	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)				-	-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	2/5/2018	37.5	1.5	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-3 (GALLONS)				25.3			
HARW-4	Cumulative 10/14/2010 - 12/10/2016	-	-	-	202.3	-	-	-
	1/16/2017	39.3	1.7	-	-	37	DMT ⁴	-
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions				-	DMT ⁴	-
	3/6/2017	39.5	1.5	-	-	49	DMT ⁴	-
	4/4/2017	38.5	2.5	0.2	6.1	29	DMT ⁴	double diaphragm pump
	5/1/2017	40.3	0.8	-	-	27	DMT ⁴	-
	6/5/2017	40.3	0.8	-	-	35	DMT ⁴	-
	7/10/2017	39.9	1.1	-	-	35	DMT ⁴	-
	8/7/2017	39.9	1.1	-	-	28	DMT ⁴	-
	9/11/2017	39.6	1.4	-	-	35	DMT ⁴	-
	10/9/2017	39.8	1.2	-	-	28	DMT ⁴	-
	11/6/2017	39.4	1.6	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)				-	-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	2/5/2018	39.3	1.7	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-4 (GALLONS)				208.4			
HARW-5	Cumulative 7/18/2011 - 12/10/2016	-	-	-	800.2	-	-	-
	1/17/2017	35.2	5.1	0.2	14.1	37	DMT ⁴	double diaphragm pump
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	3/6/2017	37.2	3.1	0.1	8.7	48	DMT ⁴	double diaphragm pump
	4/4/2017	35.3	5.0	0.04	12.9	29	DMT ⁴	double diaphragm pump
	5/2/2017	34.3	6.0	0.00	15.7	28	DMT ⁴	double diaphragm pump
	6/5/2017	35.3	5.0	0.08	12.8	34	DMT ⁴	double diaphragm pump
	7/11/2017	35.0	5.3	0.08	13.7	36	DMT ⁴	double diaphragm pump
	8/7/2017	35.3	5.0	0.08	12.8	27	DMT ⁴	double diaphragm pump
	9/11/2017	34.6	5.7	0.25	14.1	35	DMT ⁴	double diaphragm pump
	10/9/2017	35.6	4.7	0.00	12.2	28	DMT ⁴	double diaphragm pump
	11/6/2017	36.0	4.3	0.00	11.3	28	DMT ⁴	double diaphragm pump
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)				-	-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	2/6/2018 ¹	34.8	5.5	4.00	3.9	92	DMT ⁴	double diaphragm pump
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-5 (GALLONS)				932.4			
HARW-6	Cumulative 7/19/2011 - 12/10/2016	-	-	-	0.0	-	-	-
	1/16/2017	40.0	0.8	-	-	37	DMT ⁴	-
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions				-	-	-
	3/6/2017	40.0	0.8	-	-	49	DMT ⁴	-

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) ¹	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
HARW-6 Continued	4/3/2017	40.1	0.8	-	-	28	DMT ⁴	-
	5/1/2017	40.1	0.7	-	-	28	DMT ⁴	-
	6/5/2017	40.3	0.5	-	-	35	DMT ⁴	-
	7/10/2017	40.2	0.6	-	-	35	DMT ⁴	-
	8/7/2017	40.3	0.5	-	-	28	DMT ⁴	-
	9/11/2017	40.0	0.8	-	-	35	DMT ⁴	-
	10/9/2017	39.9	0.9	-	-	28	DMT ⁴	-
	11/6/2017	39.8	1.0	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018	40.0	0.8	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-6 (GALLONS)					0.0		
HARW-7	Cumulative 7/18/2011 - 12/10/2016	-	-	-	482.1	-	-	-
	1/17/2017	37.3	4.8	0.1	12.2	37	DMT ⁴	double diaphragm pump
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	3/6/2017	41.0	1.0	-	-	48	DMT ⁴	-
	4/3/2017	40.5	1.5	-	-	28	DMT ⁴	-
	5/1/2017	38.0	4.0	0.2	10.0	28	DMT ⁴	double diaphragm pump
	6/5/2017	40.5	1.5	-	-	35	DMT ⁴	-
	7/10/2017	40.0	2.0	0.2	4.8	35	DMT ⁴	double diaphragm pump
	8/7/2017	41.5	0.5	-	-	28	DMT ⁴	-
	9/11/2017	40.3	1.8	-	-	35	DMT ⁴	-
	10/9/2017	40.3	1.8	-	-	28	DMT ⁴	-
	11/6/2017	37.7	4.3	0.0	11.3	28	DMT ⁴	double diaphragm pump
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018 ¹	10.0	32.0	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-7 (GALLONS)					520.4		
HARW-8	Cumulative 7/19/2011 - 12/10/2016	-	-	-	18.0	-	-	-
	1/18/2017	40.8	2.2	0.2	5.2	37	DMT ⁴	-
	2/20/2017	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	3/6/2017	41.7	1.3	-	-	47	DMT ⁴	-
	4/3/2017	42.5	0.5	-	-	28	DMT ⁴	-
	5/1/2017	42.3	0.7	-	-	28	DMT ⁴	-
	6/5/2017	42.3	0.7	-	-	35	DMT ⁴	-
	7/10/2017	42.3	0.7	-	-	35	DMT ⁴	-
	8/7/2017	42.1	0.9	-	-	28	DMT ⁴	-
	9/11/2017	41.7	1.3	-	-	35	DMT ⁴	-
	10/9/2017	42.2	0.8	-	-	28	DMT ⁴	-
	11/6/2017	41.8	1.2	-	-	28	DMT ⁴	-
	12/4/2017	DNAPL pumping not required to be completed (10 event requirement met)					-	-
	1/8/2018	DNAPL gauging or pumping not completed due to adverse weather conditions					-	-
	2/5/2018	41.7	1.3	-	-	91	DMT ⁴	-
	TOTAL VOLUME RECOVERED TO DATE FROM HARW-8 (GALLONS)					23.2		

TOTAL VOLUME RECOVERED TO DATE FROM ALL WELLS (GALLONS)

2543.1

TABLE II
SUMMARY OF DNAPL MEASUREMENTS
NYSDEC #3-60-022
1 RIVER STREET
HASTINGS-ON-HUDSON, NEW YORK

	Date	Depth to Product (ft)	Product Apparent Height - Pre-pumping (ft)	Product Apparent Height - Post-pumping (ft)	Approximate Volume of Product Recovered (gallons) ³	Days Elapsed Between Measurement Readings	Measurement Tool Used	Recovery Procedure Used
Notes:								
<i>MW-12</i>			<i>HAOW-12A</i>					
Depth to Top of Screen: 33 ft			Depth to Top of Screen: 28.6 ft					
Depth to Bottom: 36 ft			Depth to Bottom: 43.6 ft					
<i>HARW-1</i>			<i>HARW-2</i>		<i>HARW-3</i>		<i>HARW-4</i>	
Depth to Top of Screen: 24 ft			Depth to Top of Screen: 26 ft		Angle from Vertical: 16.5°		Angle from Vertical: 24.5°	
Depth to Bottom: 42 ft			Depth to Bottom: 40 ft		Vertical Depth to Top of Screen: 25.4 ft		Vertical Depth to Top of Screen: 28.7 ft	
					Vertical Depth to Bottom: 39 ft		Vertical Depth to Bottom: 41 ft	
<i>HARW-5</i>			<i>HARW-6</i>		<i>HARW-7</i>		<i>HARW-8</i>	
Angle from Vertical: 23.5°			Angle from Vertical: 14°		Depth to Top of Screen: 27.5 ft		Depth to Top of Screen: 28.5 ft	
Vertical Depth to Top of Screen: 27 ft			Vertical Depth to Top of Screen: 26.7 ft		Depth to Bottom: 42 ft		Depth to Bottom: 43 ft	
Vertical Depth to Bottom: 40.3 ft			Vertical Depth to Bottom: 40.8 ft					

For historical reference to past DNAPL measurement events prior to January 2017, please refer to the January 2018 monthly report submitted to NYSDEC on 5 February 2018.

DMT = DNAPL Measurement Tool, consisting of a copper tubing handle, a spacer section to prevent the probe from contacting the sides of the well riser, and an all-thread rod probe to extend into the DNAPL.

¹ Recovery was not completed in HARW-5 nor started in HARW-7 due to adverse weather conditions.

² Reserved

³ Volume of product recovered by downwell pump is estimated by approximating the volume discharged to the drum and additional product in tubing and on pump.

Volume of product recovered by bailer is estimated using the bailer volume and number of times bailed.

Volume of product recovered by double diaphragm and positive displacement piston pumps are estimated by approximating the volume discharged to the drum or by using the pre- and post-pumping apparent height of product and the well dimensions (8" diameter well).

⁴ All depth and thickness values for HARW-3, HARW-4 HARW-5 and HARW-6 are provided as vertical equivalents of the field measurements based on the angle of the installed well.